

What is claimed is:

1. A process for producing coatings of iridium oxide, comprising the following steps:
 - 5 a) applying colloidal IrO_x where x is from 1 to 2 to a surface,
 - b) drying the coated surface and
 - c) firing the surface at a temperature of from 300 to 1000°C,
- 10 steps a to c being repeatable until the desired layer thickness has been obtained.
2. The process as claimed in claim 1, **characterized in that** the colloidal IrO_x where x is from 1 to 2 is
15 obtained by admixing an aqueous, alcoholic and/or aqueous alcoholic solution of an Ir salt, optionally with stirring, with a Brønsted base.
3. The process as claimed in claim 1, **characterized in that** the Brønsted base used comprises alkali metal
20 hydroxides, especially NaOH or KOH.
4. The process as claimed in claim 3, **characterized in that** the aqueous solution of the Ir salt is adjusted to
25 a pH of > 12 , preferably ≥ 13 .
5. The process as claimed in one of claims 2 to 4, **characterized in that** the Ir salt is selected from the halides, nitrates, sulfates, acetates,
30 acetylacetonates, the hydrates of the above and the mixed salts with other metal salts, especially the alkali metal-iridium salts, particular preference being given to $\text{IrCl}_3 \cdot \text{H}_2\text{O}$, $\text{IrCl}_4 \cdot \text{H}_2\text{O}$, $\text{H}_2\text{IrCl}_6 \cdot \text{H}_2\text{O}$,
 $\text{Na}_2\text{IrCl}_6 \cdot \text{H}_2\text{O}$, $\text{K}_2\text{IrCl}_6 \cdot \text{H}_2\text{O}$.
- 35 6. The process as claimed in one of claims 1 to 5, **characterized in that** the surfaces to be coated are selected from metal and metal oxide surfaces, in

particular from Ti, TiO₂, ZnO, SnO₂ and glass.

7. The process as claimed in claim 6, **characterized in that** the surface to be coated is the surface of a Ti
5 electrode, in particular an electrode for the evolution of oxygen and evolution of chlorine or an electrode for the oxidation of organic residues in drinking water.

8. Colloidal iridium oxide which has a particle size of
10 ≤ 10 nm, in particular ≤ 3 nm.

9. A process for preparing colloidal iridium oxide, in which an aqueous, alcoholic or aqueous-alcoholic solution of an Ir salt, optionally with stirring, is
15 adjusted to a pH of > 12 , preferably ≥ 13 , and the resulting mixture is subsequently stirred at a temperature of from 0 to 100°C over a period of from 3 to 72 hours.